
# SITE FURNISHINGS


***MODEL#LA-1400-06*** *6 FT. BENCH W/ BACK (378 LBS)*
***MODEL #LA-1400-08*** *8 FT. BENCH W/ BACK (425 LBS)*

***SPECIFICATIONS:***

*The end frames are 1-1/2" cast aluminum and the seat frame consist of welded 1-3/8" O.D. steel pipe. The planks are 2" x 4" nominal Recycled Plastic and spaced approximately 1/4" apart. The bench ships assembled with planks already installed.*







Steelcraft L.A.


| | |
|---|---|
| SCALE: N.T.S. | **SPECIFICATION / INSTALLATION INSTRUCTIONS** |
| DATE: 6/10/2013 | |
| DRAWN: MT | |
| Rev: SS82917 | **LA-1400-06 & -08** |
| SHEET: 1 of 2 | |

# SITE FURNISHINGS

***Use (2) 3/8" x 2-1/2" Button Head Socket Screws and Washers to secure the top of the seat frame to the back of the end frame, and (4) 3/8" x 2-1/2" Button Head Socket Screws and Washers to secure the bottom of the seat frame to the end frame.***

| Hardware Kit | Qty -06 | Qty -08 |
|---|---|---|
| 3/8" x 2-1/2" Button Head Socket Screw | 6 | 6 |
| 3/8" x 1" Button Head Barrel Nut | 2 | 2 |
| 1/4" x 2-1/2" Stainless Steel Wood Screw(RCP) | 4 | 5 |
| 1/4" x 2" Stainless Steel Wood Screw(RCP) | 36 | 45 |
| 3/8" Flat Washer | 6 | 6 |






Steelcraft L.A.

| | |
|---|---|
| SCALE: N.T.S. | SPECIFICATION / INSTALLATION INSTRUCTIONS |
| DATE: 6/10/2013 | |
| DRAWN: MT | |
| Rev: SS82917 | LA-1400-06 & -08 |
| SHEET: 2 of 2 | |

# Pick Ticket

Internal use only return to office with packet

Shipping to pull Plank. Fabrication to provide assembled bench if shortages occur notify office immediately.

| **Hardware Kit** | **Qty -06** | **Qty -08** |
|---|---|---|
| 3/8" x 2-1/2" Button Head Socket Screw | 6 | 6 |
| 3/8" x 1" Button Head Barrel Nut | 2 | 2 |
| 1/4" x 2-1/2" Stainless Steel Wood Screw(RCP) | 4 | 5 |
| 1/4" x 2" Stainless Steel Wood Screw(RCP) | 36 | 45 |
| 3/8" Flat Washer | 6 | 6 |

